

PDFlib Quick Reference

C List of all Options

This index contains an alphabetical list of all options and keywords along with the functions in which they can be used. Click on the page number to jump to the description.

&

&name option list macro call in `fit_textflow()` 87

3D

3Deactivate in `create_annotation()` 189

3Dalpha in `create_annotation()` 189

3Dinterview in `create_annotation()` 189

3Dshared in `create_annotation()` 189

3Dview in `create_action()` 182

A

acrobot suboption for `fontname` in `info_font()` 58

action

 in `begin/end_page_ext()` 40

 in `create_annotation()` 190

 in `create_bookmark()` 203

 in `create_field()` and `create_fieldgroup()` 198

 in `create_document()` 32

 in `process_pdf()` 177

actual suboption for `encoding` in `info_font()` 57

ActionText in `begin_item()` 219

addfitbox suboption for `wrap` in `fit_textflow()` 94

adjustmethod in `add/create_textflow()` 84

adjustpage

 in `fit_image/pdf_page()` 156

 in `fit_pdf_page()` 169

advancedlinebreak in `add/create_textflow()` 84

align in `fit/info_textline()` and `draw_path()` 107

alignchar in `fit/info_textline()` 107

alignment

 in `add/create_textflow()` 82

 in `create_annotation()` 190

 suboption for `leader` in `fit/info_textline()` and

`add/create_textflow()` 76

alphachannelname in `load_image()` 152

alphashape in `create_gstate()` 121

Alt in `begin_item()` 219

angle keyword in `info_textline()` 80

angularunit suboption for `georeference` 213

annotation suboption for `targetpath` in

`create_action()` 185

annotationtype in `add_table_cell()` 98

annotcolor in `create_annotation()` 190

antialias

 in `shading()` 147

 suboption for `shading` option of several

 functions 117

dasharray

 in `add_path_point()` 132

 in `create_annotation()` 191

 in `create_field()` and `create_fieldgroup()` 199

 in `many functions` 73

 in `setdashpattern()` 18

 in `several functions` 115

debugshow

 in `fit/info_textline()` and `add/`

`create_textflow()` 64

 in `many functions` 73

defaultpath in `begin/end_page_ext()` 40

defaultdir in `create_action()` 182

defaultgray in `begin/end_page_ext()` 40

defaulttrg in `begin/end_page_ext()` 40

defaultstyle in `begin/end_page_ext()` 40

defaultvalue in `create_field()` and

`create_fieldgroup()` 199

defaultvariant in `set_layer_dependency()` 46

defaultview in `set_layer_dependency()` 46

depend in `set_layer_dependency()` 46

descenderabove

 in `fit/info_textline()` and `add/`

`create_textflow()` 64

 in `many functions` 73

defaultx in `begin/end_page_ext()` 40

defaulty in `begin/end_page_ext()` 40

decorationabove

 in `fit/info_textline()` and `add/`

`create_textflow()` 64

 in `many functions` 73

desname

 in `create_action()` 183

 in `create_annotation()` 191

 in `create_bookmark()` 203

 in `end_document()` 33

 suboption for `targetpath` in `create_action()` 185

direction suboption for `viewerpreferences` in

`begin/end_document()` 37

disable

 for `logging parameter` 29

 suboption for `3Deactivate` in

`create_annotation()` 195

enablestroke suboption for `3Deactivate` in

`create_annotation()` 195

enablestroke

enablestroke for `shading` option of several

 functions 117

endstroke for `shading` option of several

 functions 117

endstroke suboption for `shading` option of several

 functions 117

endstroke in `create_annotation()` 191

eps suboption for the `coords` and `displaycoords`

 suboptions of `georeference` 214

eropolicy parameter and option for various

 functions 27

escapequence in many functions 73

exceedlimit suboption for `matchbox` 112

exchangefillcolors in `fit_textflow()` 90

api

 suboption for `encoding` in `info_font()` 57

 suboption for `fontname` in `info_font()` 58

area suboption for `fill` in `table()` 101

arcunit suboption for `georeference` 213

artbbox in `begin/end_page_ext()` 40

artifcatty in `begin_item()` 219

ascender

 in `info_font()` 57

 in `load_font()` 51

 keyword in `info_textline()` 80

Attached in `begin_item()` 219

attachmentpassword in `begin_document()` 32

attachments in `begin/end_document()` 33

autoIDfont in `load_font()` 51

autosubsetting in `load_font()` 51

autoxmp in `begin/end_document()` 33

avoidbreak in `add/create_textflow()` 84

avoidemptybegin in `add/create_textflow()` 83

b in `fit/textflow()` 147

background in `create_3dview()` 210

backgroundduo in `create_field()` and

`create_fieldgroup()` 198

bordercolor in `create_field()` and `create_fieldgroup()` 198

borderstyle

 in `create_annotation()` 190

 in `create_field()` and `create_fieldgroup()` 198

bottom in `add_nameddest()` and `suboption` for `destination` in `create_action()`,

`create_annotation()`, `create_bookmark()` and

`begin/end_document()` 186

blendmode in `create_gstate()` 121

blind

 in `fit/table()` 101

 in `fit/font()` 90

bordercolor in `create_field()` and `create_fieldgroup()` 198

borderstyle

 in `create_annotation()` 190

 in `create_field()` and `create_fieldgroup()` 198

bottom in `set_layer_dependency()` 115

bottomleftchar in `create_textflow()` 88

bottomrightchar in `create_textflow()` 80

bottomsub for `background` in

`create_3dview()` 210

bounds suboption for `georeference` 214

bounds suboption for `textflow()` 147

box in `fit/textflow()` 147

boxheight suboption for `matchbox` 111

boxlinecount keyword in `info_textflow()` 95

boxsize in various functions 107

boxwidth suboption for `matchbox` 111

bpc in `load_image()` 152

buttonlayout in `create_field()` and

`create_fieldgroup()` 198

buttonstyle in `create_field()` and `create_fieldgroup()` 198

capheight

 in `info_font()` 57

 in `load_font()` 51

 keyword in `info_textline()` 80

caption in `create_field()` and `create_fieldgroup()` 198

captionoff in `create_annotation()` 190

captionposition in `create_annotation()` 190

captionover in `create_field()` and `create_fieldgroup()` 198

captiontext in `create_annotation()` 190

captionvalue in `create_annotation()` 190

captionwidth in `create_annotation()` 190

captionx in `create_annotation()` 190

captiony in `create_annotation()` 190

center suboption for `wrap` in `fit/textflow()` 94

centeradinst in `create_gstate()` 121

PDFlib Quick Reference

fontname
 in `info_font()` 58
 in `load_font()` 52
fontscale
 in `fit_textflow()` 91
 keyword in `info_textflow()` 95
fontsize
 in `create_annotation()` 192
 in `create_field()` and `create_fieldgroup()` 200
 in `many functions` 74
 suboption for `ascender` in `info_font()` 57
 suboption for `leader` in `fit/textline()` and
`add/create_textflow()` 76
fontstyle
 in `create_bookmark()` 200
 in `info_font()` 58
 in `load_font()` 52
fonttype in `info_font()` 58
 footer in `fit_table()` 102
 full suboption for `fontname` in `info_font()` 58

G
georeference
 in `begin_template_ext()` 158
 in `load_image()` 152
 suboption for viewports in `begin/end_page_ext()` 213
glyphcheck in `many functions` 73
glyphid in `info_font()` 56, 58
glyphname in `info_font()` 56, 58
group
 in `begin_page_ext()` 40
 in `resume_page()` 43
 in `set_layer_dependency()` 47
 option in `add_nameddest()` and suboption for
 destination option in `create_annotation()`,
`create_annotation()`, `create_bookmark()` and
`begin/end_document()` 186
 suboption for labels in `begin_document()` 36
groups in `begin_document()` 33
gtte
 in `add_path_point()` 132
 in `fit/info_textline()` and `add/create_textflow()` 91
 in `fit_image/pdi_page()` 156
 in `fit/pdf_page()` 169
 in `fit/table()` 102
 in `many graphics functions` 15
 in `many text functions` 74
 in `shading_pattern()` 146
 suboption for shadow in `fit/textline()` 78

H
header in `fit_table()` 102

line
 in `create_annotation()` 192
 keyword in `add_path_point()` 132
 suboption for stroke in `fit_table()` 102
linearize in `begin_document()` 34
linemode suboption for `georeference` 214
linjoin
 in `add_path_point()` 132
 in `create_gstate()` 121
 in `load_font()` 53
 in `several functions` 116
linegap in `info_font()` 58
lineheight suboption for wrap in `fit_textflow()` 90
linejoin
 in `add_path_point()` 132
 in `create_gstate()` 121
 in `several functions` 116
linespread in `fit_textflow()` 91
lineweight
 in `add_path_point()` 132
 in `create_annotation()` 192
 in `create_field()` and `create_fieldgroup()` 200
 in `create_gstate()` 121
 in `several functions` 116
listmode in `set_layer_dependency()` 47
locale in `add/create_textflow()` 84
locked
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 200
lockedcontents in `create_annotation()` 193
lockmode in `create_field()` and
`create_fieldgroup()` 200
logging in `set_option()` 21

M
macro option list macro definition in
`fit_textflow()` 87
maingid in `info_font()` 58
mappoints suboption for `georeference` 214
mapstyler suboption for `georeference` 214
margin
 in `add_table_cell()` 99
 in `various functions` 107
 suboption for `matchbox`
marginbottom in `add_table_cell()` 99
marginleft in `add_table_cell()` 99
marginright in `add_table_cell()` 99
marginwidth in `add_table_cell()` 99
mask in `add/create_textflow()` 85
masked in `load_image()` 153
masterpassword in `begin_document()` 34
matchbox
 in `fit/info_textflow()` and
`add/create_textflow()` 95
 in `various functions` 108
 suboption for `checkbox`

height
 in `begin/end_page_ext()` 40
 in `load_image()` 152
 keyword in `info_image()` 157
 keyword in `info_matchbox()` 113
 keyword in `info_path()` 134
 keyword in `info_textline()` 170
 keyword in `info_textline()` 103
 keyword in `info_textline()` 80
hide in `begin/end_document()` 37
hidemenuubar suboption for viewerpreferences in
`begin/end_document()` 37
hidetoolbar suboption for viewerpreferences in
`begin/end_document()` 37
hidewindowbar suboption for viewerpreferences in
`begin/end_document()` 37
highlight
 in `create_annotation()` 192
 in `create_field()` and `create_fieldgroup()` 200
horonclippingpath in `load_image()` 152
horonclipprofile in `load_image()` 152
horboxgap keyword in `info_table()` 103
horizontalizing in `many functions` 74
horshrinkimg keyword in `info_table()` 103
horshrinklimt in `info_table()` 102
horizontalmethod in `add/create_textflow()` 83
horizontalrule in `add/create_textflow()` 83
hotfont in `info_font()` 58
hyperextending
 parameter and option for various functions
 181
 suboption for labels in `begin/end_document()` and label in `begin/end_page_ext()` 36
 suboption for reference in
`begin_template_ext()`, `load_image()`, and
`open_pdi_page()` 159
 suboption for viewports in `begin/end_page_ext()` 213
hyperextformat parameters and option for
 various functions 181
hyphenchar in `add/create_textflow()` 86

I
iccpfile
 in `load_image()` 152
 keyword in `info_image()` 157
icon in `create_field()` and `create_fieldgroup()` 200
icondown in `create_field()` and `create_fieldgroup()` 200
iconname
 in `begin_template_ext()` 158
 in `create_annotation()` 192
 in `load_image()` and `begin_template_ext()` 152
 in `open_pdi_page()` 168
iconrollover in `create_field()` and
`create_fieldgroup()` 200

List of all Options 231

ignoreclippingpath in `fit_image/pdi_page()` 156
ignoremask in `load_image()` 152
ignoresyntax
 in `fit_image/pdi_page()` 156
 in `load_image()` 153
imagehandle in `load_image()` 99
imageheight keyword in `info_image()` 157
imagemask keyword in `info_image()` 157
imagedtype keyword in `info_image()` 157
imagewidth keyword in `info_image()` 157
index
 in `begin_item()` 219
 in `create_bookmark()` 203
indextype suboption for search in `begin/end_document()` 35
infomode in `open_pdi_document()` 164
initialexportstate in `define_layer()` 44
initialprintstate in `define_layer()` 44
initialsubset in `load_font()` 53
initialsubset suboption for portfolio in
`begin/end_document()` 201
initialnewsstate in `define_layer()` 44
inittextstate in `many functions` 74
infill
 in `begin_item()` 219
 in `load_image()` 153
inmemory
 in `begin_document()` 34
 in `open_pdi_document()` 164
innerbox suboption for `matchbox` 112
inputencoding suboption for `metadata` 217
inputformat suboption for `metadata` 217
inputrypt0 in `create_annotation()` 192
intent in `define_layer()` 44
interiorcolor in `create_annotation()` 192
interpolate in `load_image()` 53
inverseclip suboption for wrap in `fit/textflow()` 94
invert in `load_image()` 53
invulnerability in `set_layer_dependency()` 47
ismap in `create_annotation()` 183
italicangle
 in `info_font()` 58
 in `many functions` 74
itemname in `create_field()` and
`create_fieldgroup()` 200
itemnamelist in `create_field()` and
`create_fieldgroup()` 200
itemtextlist in `create_field()` and
`create_fieldgroup()` 200

K in `load_image()` 153

keepfiller in `access_get_stream()` 174
keepfont in `load_font()` 53
keephandles in `delete_table()` 104

List of all Options 232

keepnative
 in `info_font()` 58
 in `load_font()` 53
keepxmp suboption for `metadata` 217
kerning in `many functions` 74
kerningpairs in `info_font()` 58
key
 suboption for `custom` in `create_annotation()` 192
 suboption for `field` in
`add_field()`, `field()` and
`add_portfolio_file()` 206
 suboption for properties in `begin_mc()` and
`mc_point()` 221

label in `begin/end_page_ext()` 40
labels in `begin/end_document()` 34
lang in `begin_document()` 34
lang in `begin_item()` 219
language
 in `define_layer()` 45
 in `many functions` 75
 suboption for feature in `info_font()` 58
lastalignment in `add/create_textflow()` 83
lastbox keyword in `info_table()` 103
lastfont keyword in `info_textflow()` 95
lastfontlist
 in `begin_template_ext()` 158
 keyword in `info_textflow()` 95
lastmark keyword in `info_textflow()` 95
lastpragmamark keyword in `info_textflow()` 95
layer
 in `begin_template_ext()` 158

layerstate in `create_annotation()` 183
leader
 in `add/create_textflow()` 83
 in `fit/info_textline()` 78
leaderoffset
 in `create_annotation()` 192
leading
 in `add/create_textflow()` 83
 keyword in `info_textflow()` 95
left option in `add_nameddest()` and suboption
 for destination in `create_annotation()`,
`create_annotation()`, `create_bookmark()` and
`begin/end_document()` 186
lefthead in `add/create_textflow()` 83
leftinflex, **lefttiney** keywords in `info_textflow()` 95
lighting in `create_3dview()` 211

maxchar in `create_field()` and `create_fieldgroup()`
 200
maxcode in `info_font()` 58
maxinlength keyword in `info_textflow()` 95
maxlines in `fit_textflow()` 91
maxpage keyword in `info_textflow()` 95
maxspacing in `add/create_textflow()` 83
medibox in `add/info_font()` 58
menuuname in `create_annotation()` 183
metadata 37
 in `begin/end_document()` 34
 in `begin/end_page_ext()` 41
 in `begin_template_ext()` 158
 in `load_font()` 53
 in `load_iccprofile()` 41
 in `load_image()` and `begin_template_ext()` 153
 in `open_pdi_page()` 168
metricsfile in `info_font()` 58
imetype
 in `add_portfolio_file()` 206
 in `create_annotation()` 193
 suboption for attachments in `begin/end_document()` 33
minfontsize in `fit_textflow()` 91, 98
minheight keyword in `info_textflow()` 95
mininlength keyword in `info_textflow()` 95
minkey keyword in `info_textflow()` 95
minwidth keyword in `info_textflow()` 95
mirrordirection in `add_table_cell()` 99
mirroring, **mirroring**
 keywords in `info_image()` 157
 keywords in `info_pdi_page()` 170
mirrorlimit
 in `add_path_point()` 132
 in `create_gstate()` 121
 in `several functions` 116
moddate in `begin/end_document()` 34
moddate suboption for `3dview()` in
`create_annotation()` 195
modspace
 in `info_font()` 58
 in `load_path_point()` 132
movepath in `create_annotation()` 193
multibit in `create_field()` and `create_fieldgroup()`
 200
multiselect in `create_field()` and
`create_fieldgroup()` 200

N in `shading()` 147
 suboption for shading option of several
 functions 117

List of all Options 233

name
 in `add_path_point()` 133
 in `add_portfolio_file()` 206
 in `create_3dview()` 211
 in `create_annotation()` 193
 keyword in `info_matchbox()` 113
 suboption for attachments in `begin/end_document()` 33
 suboption for `codeline` in `info_font()` 57
 suboption for `feature` in `info_font()` 58
 suboption for `matchbox` 112
 suboption for `targetpath` in `create_annotation()` 185
 suboption for viewports in `begin/end_page_ext()` 213
namealist in `create_annotation()` 184
newwindow in `create_annotation()` 184
newline in `add/create_textflow()` 85
nextpath in `add/create_textflow()` 85
nofill in `add/create_textflow()` 84
nonfullscrengemode suboption for
 viewerpreferences for
 viewerpreferences in `begin/end_document()` 37
normal suboption for `template` in
`create_annotation()` 194
numerical in `info_font()` 59
numpoints suboption for viewerpreferences in
`begin/end_document()` 37
numglyphs in `info_font()` 59
numpoints in `info_path()` 134
numusagelglyphs in `info_font()` 59
numusedglyphs in `info_font()` 59

O
objectstreams in `begin_document()` 34
offset
 suboption for shadow in `fit_textline()` 78
 suboption for wrap in `fit_textflow()` 94
offsetbottom, **offsetleft**, **offsetright**, **offsettop**
 suboptions for `matchbox` 112
onparent in `define_layer()` 45
opacity
 in `create_annotation()` 193
 suboption for `rendemode` in `create_3dview()`
 211
opacityfill in `create_gstate()` 121
opacitystroke in `create_gstate()` 121
open
 in `create_annotation()` 193
 in `create_bookmark()` 203
opennode in `begin/end_document()` 34
openrect suboption for `matchbox` 112
operation in `create_annotation()` 184
OP1-3 in `load_image()` and
`begin_template_ext()` 154
OP1-2 in `load_image()` and
`begin_template_ext()` 154
optimize in `begin_document()` 35

optimizeinvisible in `load_font()` 53
orientate
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 200
 in `fit_textflow()` 92
origin keyword in `add_path_point()` 132
outlineformat in `info_font()` 59
overline in `many functions` 74
overprintfill in `create_gstate()` 121
overprintmode in `create_gstate()` 121
overprintstroke in `create_gstate()` 122
P
page
 in `load_image()` 154
 option in `add_nameddest()` and suboption
 for destination in `create_annotation()`,
`create_annotation()`, `create_bookmark()` and
`begin/end_document()` 186
pageelement in `define_layer()` 45
pageheight keyword in `info_pdi_page()` 170
pagelayout in `begin/end_document()` 35
pagenumber
 in `begin_page_ext()` 41
 in `resume_page()` 43
 suboption for labels in `begin/end_document()` and
`end_page_ext()` 36
 suboption for reference in
`begin_template_ext()`, `load_image()`, and
`open_pdi_page()` 159
 suboption for targetpath in `create_annotation()` 185
pages suboption for `separationInfo` in `begin/end_page_ext()` 41
pagewidth keyword in `info_pdi_page()` 170
parameters in `create_annotation()` 184
parent
 in `begin_item()` 220
 in `create_bookmark()` 203
 in `set_layer_dependency()` 47
parentname in `create_annotation()` 192
parentint in `add/create_textflow()` 83
passthrough
 in `load_image()` 154
password
 in `add_portfolio_file()` 206
 in `create_field()` and `create_fieldgroup()` 200
 in `open_pdi_document` 164
path
 in `add_table_cell()` 99
 suboption for `textpath` in `fit_textline()` 79
paths suboption for wrap in `fit_textflow()` 94
pdfa in `begin_document()` 35

234 | List of All Options

PDFlib Quick Reference

pfdx in `begin_document()` 35
pdipage in `add_table_cell()` 99
pdusebox
 in `open_pdi_page()` 168
 suboption for `reference` in
 `begin_template_ext()`, `load_image()`, and
 `open_pdi_page()` 168
permissions in `begin_document()` 25
perpendiculardir keyword in `info_textline()` 80
picktraypdf suboption for
 `viewerprefences` in `begin/end_document()`
 37
playmode in `create_annotation()` 193
polar in `add_path_point()` 133
polygons suboption for `wrap` in `fit_textflow()` 94
polymelit in `create_annotation()` 193
popup in `create_annotation()` 193
position
 in `create_field()` and `create_fieldgroup()` 201
 in various functions 108
 suboption for `template` in
 `create_annotation()` 194
predefcap in `info_font()` 59
prefix
 suboption for `fieldlist` in
 `add_fieldgroup()` and
 `add_portfolio_file()` 206
 suboption for `label` in `begin/end_document()` and `label` in `begin/end_page_ext()` 36
preservemode in `create_annotation()` 184
printarea suboption for `viewerprefences` in
 `begin/end_document()` 37
printclip suboption for `viewerprefences` in
 `begin/end_document()` 37
printpageorange suboption for `viewerprefences` in
 `begin/end_document()` 37
printscaling suboption for `viewerprefences` in
 `begin/end_document()` 37
printsubtype in `define_layer()` 45
properties in `begin_mc()` and `mc_point()` 221
px, py
 in `info_path()` 134

R
ro, ri in `shading()` 147
radians in `add_path_point()` 133
readfeatures in `load_font()` 53
readkerning in `load_font()` 53
readonly
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 201
readshaping in `load_font()` 53
recordsize in `begin_document()` 35
rectangle keyword in `info_matchbox()` 113
reference
 in `begin_template_ext()` 158
 in `open_pdi_page()` 168

repoint
 in `fill_*block()` 108, 134
relation suboption for `targetpath` in
 `create_action()` 185
relative in `add_path_point()` 133
remove for logging parameter 29
removemarker in `define_layer()` 45
rendermode suboption for `rendermode` in
 `create_annotation()` 21
renderingintent
 in `create_gstate()` 122
 in `load_image()` 154
rendertextmode in `create_annotation()` 211
repair in `open_pdi_document()` 165
repeatcount in `add_table_cell()` 99
replacedchars in `info_textline()` 80
replacementchar
 in `create_annotation()` 59
 in `load_font()` 54
replyto in `create_annotation()` 193
required in `create_field()` and `create_fieldgroup()`
 201
requiredmode in `open_pdi_document()` 165
resfont in `add/create_textflow()` 85
resourcefile in `set_option()` 21
rex, resy keywords in `info_image()` 157
return
 in `add/create_textflow()` 85
 in `load_sd()` 209
 in `add_table_cell()` 99
returnatmark in `fit_textflow()` 92
returnreason
 keyword in `info_table()` 103
 keyword in `info_textflow()` 95
rewind
 in `fit_table()` 102
 in `fit_textflow()` 92
richtext in `create_field()` and `create_fieldgroup()`
 201
right option in `add_pinneddest()` and suboption
 for `destination` in `create_annotation()`,
 `create_annotation()`, `create_bookmark()` and
 `begin/end_document()` 186
rightindent
 in `add/create_textflow()` 83
 suboption for `createtabindent` in
 `fit_textflow()` 90
rightlinex, rightliney keywords in `info_textflow()`
 95
rollover
 suboption for `template` in
 `create_annotation()` 194
rotate
 in `begin/end_page_ext()` 41
 in `create_annotation()` 193
 in `fit_textflow()` 92
 in various functions 108
 keyword in `info_pdi_page()` 70
 suboption for `textpath` in `fit_textline()` 79

round
 in `add_path_point()` 133
 in `draw_path()` 134
 suboption for `textpath` in `fit_textline()` 79
rowspan keyword in `info_table()` 103
 rowheight in `add_table_cell()` 99
 rowjoingroup in `add_table_cell()` 100
 rowscalegroup in `add_table_cell()` 100
 rowspan in `add_table_cell()` 99
RowSpan in `begin_item()` 220
rowsplit keyword in `info_table()` 103
ruler in `add/create_textflow()` 83

S
scale
 in various functions 108
 suboption for `textpath` in `fit_textline()` 79
scalex, scaley keywords in `info_textline()` 80
schedule suboption for `portfolio` in
 `begin_document()` 207
Scope in `begin_item()` 220
script
 in `create_annotation()` 184
 in `load_sd()` 209
 in many functions 75
 suboption for `feature` in `info_font()` 58
scriptname in `create_annotation()` 184
scrollable in `field()` and
 `create_fieldgroup()` 201
search in `begin/end_document()` 35
searchpath in `set_option()` 21
separationinfo in `begin_page_ext()` 41
shading in several functions 116
shadow in `fit_info_textline()` 78
 shaping in many functions 75
 shapingshift in `info_item()` 59
showborder
 in `fit_textflow()` 92
 suboption for `create_annotation()` 194
 suboption in `info_table()` 102
 suboption in `create_annotation()` 194
 subgrid in `fit_table()` 102
 subgrid in `fit_textflow()` 92
shrinklimit
 in `add/create_textflow()` 84
 in various functions 109
shutdownstrategy in `set_option()` 21
singfont in `info_font()` 59
smoothness in `create_gstate()` 122
softmask in `create_gstate()` 122
sort suboption for `portfolio` in `begin_document()`
 207
 sorted in `create_field()` and `create_fieldgroup()`
 201
soundvolume in `create_annotation()` 194
space in `add/create_textflow()` 85

spcheck in `create_field()` and
 `create_fieldgroup()` 201
split
 keyword in `info_textflow()` 95
 suboption for `portfolio` in `begin/end_page_ext()` 207
 spotcolor suboption for `separatinginfo` in `begin/end_page_ext()` 207
 spinningwheel suboption for `separationinfo` in `begin/end_page_ext()` 207
 spreaddimin in `add/create_textflow()` 85
stamp
 in `fit_info_textflow()` 78
 in `fit_table()` 92
 standardfont in `info_font()` 59
start
 suboption for `label` in `begin/end_document()` and `label` in `begin/end_page_ext()` 36
startcolor in `shading()` 147
startoffset suboption for `textpath` in
 `fit_textline()` 79
startx, starty keywords in `info_textline()` 80
statch in `begin_font()` 60
strokecolor in many functions 74
stringlist for logging parameter 29
strips keyword in `info_image()` 157
stroke
 in `draw_path()` 134
 in `fit_table()` 102
 strokeadjust in `create_gstate()` 122
strokecolor
 in `add_path_point()` 132
 in `create_field()` and `create_fieldgroup()` 201
 in many functions 74
 in several functions 116
strokewidth in many functions 74
strongref suboption for `reference` in
 `begin_template_ext()` and `open_pdi_page()`
 159
style suboption for `labels` in `begin/end_document()` and `label` in `begin/end_page_ext()` 36
subject in `create_annotation()` 194
submitemptyfields in `create_annotation()` 184
submitname in `create_field()` and
 `create_fieldgroup()` 201
subpath
 in `draw_path()` 134
 suboption for `textpath` in `fit_textline()` 79
subsetlimit in `load_font()` 54
subsetminsize in `load_font()` 54
subsetting in `load_font()` 54
Subtype in `begin_item()` 220
supplement in `info_font()` 59
symbolfont in `info_font()` 59

List of all Options 235

236 List of all Options