

PDFlib Quick Reference

C List of all Options

This index contains an alphabetical list of all options and keywords along with the functions in which they can be used. Click on the page number to jump to the description.

&
&name option list macro call in `fit_textflow()` 87

3D
3Dactivate in `create_annotation()` 189
3Ddata in `create_annotation()` 189
3Dinitialview in `create_annotation()` 189
3Dinteractive in `create_annotation()` 189
3Dshared in `create_annotation()` 189
3Dview in `create_action()` 182

A
acrobath suboption for fontname in `info_font()` 58
action
in `begin/end_page_ext()` 40
in `create_annotation()` 190
in `create_bookmark()` 202
in `create_field()` and `create_fieldgroup()` 198
in `end_document()` 32
in `process_pdl()` 171
actual suboption for encoding in `info_font()` 57
ActualText in `begin_item()` 219
addfbbox suboption for wrap in `fit_textflow()` 94
adjustmethod in `add/create_textflow()` 84
adjustpage
in `fit_image/pdi_page()` 156
in `fit_pdi_page()` 169
advancedlinebreak in `add/create_textflow()` 84
align in `fit/info_textline()` and `draw_path()` 107
alignchar in `fit/info_textline()` 107
alignment
in `add/create_textflow()` 82
in `create_annotation()` 190
suboption for leader in `fit/info_textline()` and `add/create_textflow()` 76

alphacharname in `load_image()` 152
alphaheight in `create_gstate()` 121
Alt in `begin_item()` 219
angle keyword in `info_textline()` 80
angularunit suboption for georeference 213
annotation suboption for targetpath in `create_action()` 185
annotationtype in `add_table_cell()` 98
annotcolor in `create_annotation()` 190
antialias
in `shading()` 147
suboption for shading option of several functions 117

api
suboption for encoding in `info_font()` 57
suboption for fontname in `info_font()` 58
area suboption for fill in `fit_table()` 101
areabox suboption for georeference 213
arxunit in `begin/end_page_ext()` 40
artifacttype in `begin_item()` 219
ascender
in `info_font()` 57
in `load_font()` 51
keyword in `info_textline()` 80
Attached in `begin_item()` 219
attachmentpassword in `begin_document()` 32
attachmentpoint in `draw_path()` 107
attachments in `begin/end_document()` 33
autocidfont in `load_font()` 51
autosubsetting in `load_font()` 51
autotemp in `begin/end_document()` 33
avoidbreak in `add/create_textflow()` 84
avoidemptybegin in `add/create_textflow()` 83

B
background in `create_3dview()` 210
backgroundcolor in `create_field()` and `create_fieldgroup()` 198
basestate in `set_layer_dependency()` 46
Bbox in `begin_item()` 219
beginpdlchar in `create_textflow()` 88
beziers suboption for wrap in `fit_textflow()` 94
bestmode in `load_image()` 152
blendbox in `begin/end_page_ext()` 40
blendmode in `create_gstate()` 121
blind
in `fit_table()` 101
in `fit_textflow()` 90
bordercolor in `create_field()` and `create_fieldgroup()` 198
borderstyle
in `create_annotation()` 190
in `create_field()` and `create_fieldgroup()` 198
borderwidth in several functions 115
bottom in `add_nameddest()` and suboption for destination in `create_action()`, `create_annotation()`, `create_bookmark()` and `begin/end_document()` 186

List of all Options 227

D
dasharray
in `add_path_point()` 132
in `create_annotation()` 191
in `create_field()` and `create_fieldgroup()` 199
in many functions 73
in `setdashpattern()` 118
in several functions 115
dashphase
in `add_path_point()` 132
in `setdashpattern()` 118
in several functions 115
debugshow in `fit_table()` 101
decorationabove
in `fit/info_textline()` and `add/create_textflow()` 64
in many functions 73
defaultcmryk in `begin/end_page_ext()` 40
defaultgray in `begin/end_page_ext()` 40
defaultrgb in `begin/end_page_ext()` 40
defaultstate in `define_layer()` 44
defaultvalue in `create_field()` and `create_fieldgroup()` 199
defaultvariant in `set_layer_dependency()` 46
defaultview in `load_3d()` 209
depend in `set_layer_dependency()` 46
descender
in `info_font()` 57
in `load_font()` 51
keyword in `info_textline()` 80

description
in `add_portfolio_file()` 206
in `load_icprofile()` 141
suboption for attachments in `begin/end_document()` 33
destination
in `begin/end_document()` 33
in `create_annotation()` 182
in `create_annotation()` 191
in `create_bookmark()` 202
destname
in `create_action()` 183
in `create_annotation()` 191
in `create_bookmark()` 202
in `end_document()` 33
suboption for targetpath in `create_action()` 185
direction suboption for viewerpreferences in `begin/end_document()` 37
disable
for logging parameter 29
suboption for `3Dactivate` in `create_annotation()` 195
disableable suboption for `3Dactivate` in `create_annotation()` 195

display
in `create_annotation()` 191
in `create_field()` and `create_fieldgroup()` 199
displaydoctitle suboption for viewerpreferences in `begin/end_document()` 37
displaysystem suboption for georeference 213
domain
in `shading()` 147
suboption for shading option of several functions 117
doubleleadt suboption for matchbox 111
doubleffset suboption for matchbox 111
down
suboption for template in `create_annotation()` 194
dpi in many functions 107
drawbottom, **drawleft**, **drawright**, **drawtop** suboptions for matchbox 111
dropcolors in `load_font()` 51
duplex suboption for viewerpreferences in `begin/end_document()` 37
duration
in `begin/end_page_ext()` 40
in `create_action()` 183

E
Embed in `begin_item()` 219
embed in `create_field()` and `create_fieldgroup()` 199
embedding in `load_font()` 51
embedprofile in `load_icprofile()` 141
enable
for logging parameter 29
suboption for `3Dactivate` in `create_annotation()` 195
enableable suboption for `3Dactivate` in `create_annotation()` 195
encoding
in `info_font()` 57
in `load_font()` 51
end
suboption for matchbox 112
suboption for shading option of several functions 117
endcolor suboption for shading option of several functions 117
endstyles in `create_annotation()` 191
endpdlchar in `create_textflow()` 88
endx, **endy** keywords in `info_textline()` 80
entire suboption for background in `create_3dview()` 210
eps suboption for the coords and displaycoords suboptions of georeference 214
errspolity parameter and option for various functions 27
escapequence in many functions 73
exceedlimit suboption for matchbox 112
exchangeffillcolors in `fit_textflow()` 90

List of all Options 229

boundingbox
in `shading()` 147
keyword in `info_image()` 157
keyword in `info_path()` 134
keyword in `info_pdi_page()` 170
keyword in `info_table()` 103
keyword in `info_textflow()` 95
suboption for viewpoints option in `begin/end_page_ext()` 213
bounds suboption for georeference 213
boxes suboption for wrap in `fit_textflow()` 94
boxheight suboption for matchbox 111
boxlinecount keyword in `info_textflow()` 95
boxes in various functions 107
boxwidth suboption for matchbox 111
bpc in `load_image()` 152
buttonlayout in `create_field()` and `create_fieldgroup()` 198
buttonstyle in `create_field()` and `create_fieldgroup()` 198

C
calculator in `create_field()` and `create_fieldgroup()` 198
calloutline in `create_annotation()` 190
camerazword in `create_3dview()` 210
cameradistance in `create_3dview()` 210
canonicaldate in `create_action()` 182
capheight
in `info_font()` 57
in `load_font()` 51
keyword in `info_textline()` 80
caption in `create_field()` and `create_fieldgroup()` 198
captiondown in `create_field()` and `create_fieldgroup()` 198
captionoffset in `create_annotation()` 190
captionposition in `create_annotation()` 190
captionrollover in `create_field()` and `create_fieldgroup()` 198
captionwidth in `load_image()` 152
centerwindow suboption for viewerpreferences in `begin/end_document()` 37
charclass in `add/create_textflow()` 85
charmapping in `add/create_textflow()` 86
charset in many functions 73
charspacing
in `create_field()` and `create_fieldgroup()` 198
in many functions 73
checkwordspilling in `add_table_cell()` 98
children in `set_layer_dependency()` 46
cid in `info_font()` 56, 57
cidfont in `info_font()` 57
clipping suboption for wrap in `fit_textflow()` 94
circle keyword in `add_path_point()` 132
classes for logging parameter 30
clip in `draw_pdi()` 134
clipping suboption for matchbox 111

List of all Options 228

exchangestrokecolors in `fit_textflow()` 90
exclude in `create_annotation()` 183
exists keyword in `info_matchbox()` 113
exportable in `create_field()` and `create_fieldgroup()` 199
exportmethod in `create_annotation()` 183
extendo, **extendi** in `shading()` 147

F
facecolor suboption for rendermode in `create_3dview()` 211
fakebold in many functions 74
faked
suboption for ascender in `info_font()` 57
suboption for fontstyle in `info_font()` 57
fallbackfont in `info_font()` 57
fallbackfonts in `load_font()` 52
familyname
in `begin_font()` 60
in `info_font()` 57
feature in `info_font()` 58
featurelist in `info_font()` 58
Features in many functions 75
fieldlist
in `add_portfolio_file()` 206
in `add_portfolio_folder()` 204
fieldname in `add_table_cell()` 98
fieldtype
in `add_table_cell()` 98
in `create_fieldgroup()` 199
filemode in `begin_document()` 33
filename
for logging parameter 29
in `create_annotation()` 183
in `create_annotation()` 191
suboption for attachments in `begin/end_document()` 33
suboption for metadata 217
suboption for reference in `begin_template_ext()`, `load_image()`, and `open_pdi_page()` 159
suboption for search in `begin/end_document()` 35
filename keyword in `info_image()` 157
filenamehandling in `set_option()` 20
fileselect in `create_field()` and `create_fieldgroup()` 199
fill
in `draw_path()` 134
in `fit_table()` 101

List of all Options 230

fillingarea in `open_pdi_page()` 168
fillingpath in `load_image()` 157
fillingpathname in `load_image()` 152
clonebox
in `fit_pdi_page()` 169
in `open_pdi_page()` 168
close
in `add_path_point()` 133
in `draw_path()` 104
suboption for textpath in `fit_textline()` 79
cloudy in `create_annotation()` 190
code in `info_font()` 56, 57
codepage in `info_font()` 57
codapage in `info_font()` 57
colorize in `load_image()` 152
colorized in `begin_font()` 60
colcalign in `add_table_cell()` 98
colspan in `add_table_cell()` 98
ColSpan in `begin_item()` 219
colwidth in `add_table_cell()` 98, 99
comb in `create_field()` and `create_fieldgroup()` 199

comment option list macro definition in `fit_textflow()` 85
commentselect in `create_field()` and `create_fieldgroup()` 199
compatibility in `begin_document()` 33
components in `load_image()` 152
compress suboption for metadata 217
contents in `create_annotation()` 190
converttextflow in `add_table_cell()` 98
control keyword in `add_path_point()` 132
convert in `pcos_get_stream()` 174
copy in `create_pvf()` 25
copyglobals in `load_image()` 152
coversheet suboption for portfolio in `begin_document()` 207
create suboption for rendermode in `create_3dview()` 211
createdate in `create_annotation()` 190
createtext in `fit_textflow()` 90
createstindend in `fit_textflow()` 90
createtextboxes suboption for wrap in `fit_textflow()` 94
createtp in `begin_document()` 33
createtext in `create_annotation()` 191
createtextboxes suboption for matchbox 111
creatortip in `define_layer()` 44
crople in `begin/end_page_ext()` 40
currentvalue in `create_field()` and `create_fieldgroup()` 199
curve keyword in `add_path_point()` 132
custom in `create_annotation()` 191

fillcolor
in `add_path_point()` 132
in `create_annotation()` 191
in `create_field()` and `create_fieldgroup()` 199
in many functions 74
in several functions 115
suboption for background in `create_3dview()` 210
suboption for leader in `fit/info_textline()` and `add/create_textflow()` 76
suboption for leader in `fit_textline()` 78
fillrule
in `add_path_point()` 132
in several functions 115
suboption for wrap in `fit_textflow()` 94
firstbyrow
keyword in `info_matchbox()` 113
keyword in `info_table()` 103
firstdraw in `fit_table()` 102
firstlineid
in `fit_textflow()` 91
keyword in `info_textflow()` 95
firstparlinecount keyword in `info_textflow()` 95
fitannotation in `add_table_cell()` 98
fitfield in `add_table_cell()` 98
fitimage in `add_table_cell()` 98
fitmethod
in `create_field()` and `create_fieldgroup()` 199
in `fit_textflow()` 91
in various functions 107
suboption for template in `create_annotation()` 194
fitpath in `add_table_cell()` 98
fitpage in `add_table_cell()` 98
fitscale, **fitscaley**
keywords in `info_image()` 157
keywords in `info_pdi_page()` 170
fittext keyword in `info_textflow()` 95
fittextflow in `add_table_cell()` 99
fitwidth suboption for viewerpreferences in `begin/end_document()` 37
fixedleading in `add/create_textflow()` 83
fixedtextformat in `create_textflow()` 83
flatness
in `add_path_point()` 132
in `create_gstate()` 121
in several functions 115
flush
in `begin_document()` 33
flush for logging parameter 29
font
in `create_annotation()` 192
in `create_field()` and `create_fieldgroup()` 200
in many functions 74
suboption for leader in `fit/info_textline()` and `add/create_textflow()` 76
fontfile in `info_font()` 58

List of all Options 239

PDFlib Quick Reference

fontname
in info_font() 58
in load_image() 52

fontscale
in fit_textflow() 91
keyword in info_textflow() 95

fontsize
in create_annotation() 192
in create_field() and create_fieldgroup() 200
in many_functions 74
suboption for ascender in info_font() 57
suboption for leader in fit_info_textline() and add_create_textflow() 76

fontstyle
in create_bookmark() 202
in info_font() 58
in load_font() 52

fonttype in info_font() 58

footer in fit_table() 102

full suboption for fontname in info_font() 58

G

georeference
in begin_template_ext() 158
in load_image() 152
suboption for viewpoints in begin/end_page_ext() 213

glyphcheck in many_functions 73

glyphid in info_font() 56, 58

glyphname in info_font() 56, 58

group
in begin_page_ext() 40
in resume_page() 43
in set_layer_dependency() 47
option in add_namedext() and suboption for destination option in create_action(), create_annotation(), create_bookmark() and begin/end_document() 186
suboption for labels in begin_document() 36
groups in begin_document() 33

gstate
in add_path_point() 132
in fit_info_textline() and add_create_textflow() 91
in fit_image/pdi_page() 156
in fit_pdi_page() 169
in fit_table() 102
in many_graphics_functions 115
in many_text_functions 74
in shading_pattern() 146
suboption for shadow in fit_textline() 78

H

header in fit_table() 102

line
in create_annotation() 192
keyword in add_path_point() 132
suboption for stroke in fit_table() 102

linearize in begin_document() 34

linearunit suboption for georeference 214

linecap
in add_path_point() 132
in create_gstate() 121
in load_font() 53
in several_functions 116

linegap in info_font() 58

lineheight suboption for wrap in fit_textflow() 94

linjoin
in add_path_point() 132
in create_gstate() 121
in several_functions 116

linespreadlimit in fit_textflow() 91

linewidth
in add_path_point() 132
in create_annotation() 192
in create_field() and create_fieldgroup() 200
in create_gstate() 121
in several_functions 116

listmode in set_layer_dependency() 47

locate in add_create_textflow() 84

locked
in create_annotation() 193
in create_field() and create_fieldgroup() 200

lockedcontents in create_annotation() 193

lockmode in create_field() and create_fieldgroup() 200

logging in set_option() 21

M

macro option list macro definition in fit_textflow() 87

maingrid in info_font() 58

mappoints suboption for georeference 214

mapsystem suboption for georeference 214

margin
in add_table_cell() 99
in various_functions 107
suboption for matchbox

marginbottom in add_table_cell() 99

marginleft in add_table_cell() 99

marginright in add_table_cell() 99

marginrow in add_table_cell() 99

mark in add_create_textflow() 85

mask in load_image() 152

masked in load_image() 153

masterpassword in begin_document() 34

matchbox
in fit_info_textline() and add_create_textflow() 85
in various_functions 108
suboption for create_instance in fit_textflow() 90

height
in begin/end_page_ext() 40
in load_image() 152
keyword in info_image() 157
keyword in info_matchbox() 113
keyword in info_path() 134
keyword in info_pdi_page() 170
keyword in info_table() 103
keyword in info_textline() 80

hide in create_action() 183

hidemenubar suboption for viewerpreferences in begin/end_document() 37

hidetoolbar suboption for viewerpreferences in begin/end_document() 37

hidewindow suboption for viewerpreferences in begin/end_document() 37

highlight
in create_annotation() 192
in create_field() and create_fieldgroup() 200
in create_textflow() 152

honorclippingpath in load_image() 152

honorprofile in load_image() 153

horboxgap keyword in info_table() 103

horzscaling in many_functions 74

horshrink keyword in info_table() 103

horshrinklimit in fit_table() 102

hotatombase in add_create_textflow() 83

hortabsize in add_create_textflow() 83

hostfont in info_font() 58

hypertextencoding
parameter and option for various_functions 181
suboption for labels in begin/end_document() and label in begin/end_page_ext() 36
suboption for reference in begin_template_ext(), load_image(), and open_pdi_page() 159
suboption for viewpoints in begin/end_page_ext() 213

hypertextformat parameter and option for various_functions 181

hypochar in add_create_textflow() 86

I

icprofile
in load_image() 152
keyword in info_image() 157

icon in create_field() and create_fieldgroup() 200

iconand in create_field() and create_fieldgroup() 200

iconname
in begin_template_ext() 158
in create_annotation() 192
in load_image() and begin_template_ext() 152
in open_pdi_page() 168

iconroller in create_field() and create_fieldgroup() 200

List of all Options 231

maxchar in create_field() and create_fieldgroup() 200

maxcode in info_font() 58

maxlength keyword in info_textflow() 95

maxlines in fit_textflow() 91

maxliney keyword in info_textflow() 95

maxspacing in add_create_textflow() 84

mediabox in begin/end_page_ext() 41

menuname in create_action() 183

metadata 217
in begin/end_document() 34
in begin/end_page_ext() 41
in begin_template_ext() 158
in load_font() 53
in load_icprofile() 141
in load_image() and begin_template_ext() 153
in open_pdi_page() 168
metricfile in info_font() 58

minetype
in add_portfolio_file() 206
in create_annotation() 193
suboption for attachments in begin/end_document() 33

minfontsize in fit_textflow() 90, 108

minlinesand in add_create_textflow() 83

minlength keyword in info_textflow() 95

minliney keyword in info_textflow() 95

minrowheight in add_table_cell() 99

minspacing in add_create_textflow() 84

mirrors, mirrorxy
442
keyword in info_image() 157
keyword in info_pdi_page() 170

miterlimit
in add_path_point() 132
in create_gstate() 121
in several_functions 116

moddate in begin/end_document() 34

moddate suboption for 3Dactivate in create_annotation() 195

monospace
in info_font() 58
in load_font() 53

movekeyword in add_path_point() 132

movepopup in create_annotation() 193

multiline in create_field() and create_fieldgroup() 200

multiselect in create_field() and create_fieldgroup() 200

N

in shading 147
suboption for shading option of several_functions 117

List of all Options 233

ignoreclippingpath in fit_image/pdi_page() 156

ignoremask in load_image() 152

ignoreorientation
in fit_image/pdi_page() 156
in load_image() 153

image in add_table_cell() 99

imagehandle in load_image() 153

imageheight keyword in info_image() 157

imagemask keyword in info_image() 157

imagetype keyword in info_image() 157

imagewidth keyword in info_image() 157

index
in begin_item() 219
in create_bookmark() 203

indextype suboption for search in begin/end_document() 35

infomode in open_pdi_document() 164

initialkeyupstate in define_layer() 44

initialprintstate in define_layer() 44

initialsubset in load_font() 53

initialview suboption for portfolio in begin_document() 207

initialviewstate in define_layer() 44

instatstate in many_functions 74

inline
in begin_item() 219
in load_image() 153

inmemory
in begin_document() 34
in open_pdi_document 164

innerbox suboption for matchbox 112

inputencoding suboption for metadata 217

inputformat suboption for metadata 217

inreplyto in create_annotation() 192

intent in define_layer() 44

intercolor in create_annotation() 192

interpose in load_image() 153

inverse suboption for wrap in fit_textflow() 94

is_in_layer in set_layer_dependency() 47

ismap in create_action() 183

italcangle
in info_font() 58
in many_functions 74

itemname in create_matchbox() and create_fieldgroup() 200

itemnumber in create_matchbox() and create_fieldgroup() 200

itemtextlist in create_field() and create_fieldgroup() 200

K

k in load_image() 153

keepfilter in pos_get_stream() 174

keepfont in load_font() 53

keephandles in delete_table() 104

List of all Options 232

name
in add_path_point() 133
in add_portfolio_file() 206
in create_3dview() 211
in create_annotation() 193
keyword in info_matchbox() 113
suboption for attachments in begin/end_document() 33
suboption for codepage in info_font() 57
suboption for feature in info_font() 58
suboption for matchbox 112
suboption for targetpath in create_action() 185
suboption for viewpoints in begin/end_page_ext() 213

namelist in create_action() 184

newwindow in create_action() 184

nextline in add_create_textflow() 85

nextparagraph in add_create_textflow() 85

nonfullscreenpagemode suboption for viewerpreferences in begin/end_document() 37

normal suboption for template in create_annotation() 194

numcols in info_font() 58

numcopies suboption for viewerpreferences in begin/end_document() 37

numglyphs in info_font() 59

numpoints in info_path() 134

numsubglyphs in info_font() 59

numseglyphs in info_font() 59

O

objectstreams in begin_document() 34

offset
suboption for shadow in fit_textline() 78
suboption for wrap in fit_textflow() 94

offsetbottom, offsetleft, offsetright, offsettop
suboptions for matchbox 112

opacity in define_layer() 45

opacity
in create_annotation() 193
suboption for rendermode in create_3dview() 211

opacityfill in create_gstate() 121

overprint in create_gstate() 121

open
in create_annotation() 193
in create_bookmark() 203
in begin/end_document() 34

openrect suboption for matchbox 112

operation in create_action() 184

OP1-3 in load_image() and begin_template_ext() 154

OPI-2.0 in load_image() and begin_template_ext() 154

optimize in begin_document() 35

List of all Options 234

keepnative
in info_font() 58
in load_font() 53

keepmp suboption for metadata 217

kerning in many_functions 74

kerningpairs in info_font() 58

key
suboption for custom in create_annotation() 192
suboption for fields in add_portfolio_folder() and add_portfolio_file() 206
suboption for properties in begin_mcf() and mc_point() 221

L

label in begin/end_page_ext() 40

labels in begin/end_document() 34

lang in begin_document() 34

lang in begin_item() 219

language
in define_layer() 45
in many_functions 75
suboption for feature in info_font() 58

lastinset in add_create_textflow() 83

lastpage keyword in info_table() 103

lastfont keyword in info_textflow() 95

lastsize keyword in info_textflow() 95

lastmodified
in fit_textflow() 91
keyword in info_textflow() 95

lastpage keyword in info_textflow() 95

lastparlinecount keyword in info_textflow() 95

layer
in begin_template_ext() 158
in create_annotation() 192
in create_field() and create_fieldgroup() 200
in load_image() and begin_template_ext() 153
in open_pdi_page() 168

layerstate in create_action() 183

leader
in add_create_textflow() 83
in fit_info_textline() 78

leaderlength in create_annotation() 192

leaderoffset
in create_annotation() 192

leading
in add_create_textflow() 83
keyword in info_textflow() 95

left option in add_namedext() and suboption for destination in create_action(), create_annotation(), create_bookmark() and begin/end_document() 186

leftindent in add_create_textflow() 83

leftlines, leftliney keyword in info_textflow() 95

lighting in create_3dview() 211

List of all Options 235

optimizeinvisible in load_font() 53

orientate
in create_annotation() 193
in create_field() and create_fieldgroup() 200
in fit_textflow() 92
in various_functions 108

origin in many_functions 74

overline in create_gstate() 121

overprintmode in create_gstate() 121

overprintstroke in create_gstate() 122

P

page
in load_image() 154
option in add_namedext() and suboption for destination in create_action(), create_annotation(), create_bookmark() and begin/end_document() 186

pageelement in define_layer() 45

pageheight keyword in info_pdi_page() 170

pagelevel suboption for reference in begin_template_ext(), load_image(), and open_pdi_page() 159

pagelayout in begin/end_document() 35

pagenumber
in begin_page_ext() 41
in resume_page() 43
suboption for labels in begin/end_document() and label in begin/end_page_ext() 36
suboption for reference in begin_template_ext(), load_image(), and open_pdi_page() 159
suboption for targetpath in create_action() 185

pagewidth keyword in info_pdi_page() 170

parameters in create_action() 184

parent
in begin_item() 220
in create_bookmark() 203
in set_layer_dependency() 47

parentname in create_annotation() 193

parentid in add_create_textflow() 83

passthrough
in load_image() 154

password
in add_portfolio_file() 206
in create_field() and create_fieldgroup() 200
in open_pdi_document 164

path
in add_table_cell() 99
suboption for textpath in fit_textline() 79

paths suboption for wrap in fit_textflow() 94

pdfa in begin_document() 35

List of all Options 236

PDFlib Quick Reference

pdfx in `begin_document()` 35
pdpage in `add_table_cell()` 99
pdusebox
 in `open_pdi_page()` 168
 suboption for reference in
 `begin_template_ext()`, `load_image()`, and
 `open_pdi_page()` 159
permissions in `begin_document()` 35
perpendiculardir keyword in `info_textline()` 80
picktrypdfsize suboption for
 viewerpreferences in `begin/end_document()`
 37
plymode in `create_annotation()` 193
polar in `add_path_point()` 133
polygons suboption for wrap in `fit_textflow()` 94
polylinelist in `create_annotation()` 193
popup in `create_annotation()` 193
position
 in `create_field()` and `create_fieldgroup()` 201
 in various functions 108
 suboption for template in
 `create_annotation()` 194
predefcmap in `info_font()` 59
prefix
 suboption for fieldlist in
 `add_portfolio_folder()` and
 `add_portfolio_file()` 206
 suboption for labels in `begin/`
 `end_document()` and label in `begin/`
 `end_page_ext()` 36
preserveradio in `create_action()` 184
printarea suboption for viewerpreferences in
 `begin/end_document()` 37
printclip suboption for viewerpreferences in
 `begin/end_document()` 37
printpage suboption for viewerpreferences in
 `begin/end_document()` 37
printscaling suboption for viewerpreferences in
 `begin/end_document()` 37
printssubtype in `define_layer()` 45
properties in `begin_mc()` and `mc_point()` 221
px, **py**
 in `info_path()` 134

R

ro, ri in `shading()` 147
radians in `add_path_point()` 133
readfeatures in `load_font()` 53
readkernel in `load_font()` 53
readonly
 in `create_annotation()` 193
 in `create_field()` and `create_fieldgroup()` 201
readshaping in `load_font()` 53
recardsize in `begin_document()` 35
rectangle keyword in `info_matchbox()` 113
reference
 in `begin_template_ext()` 158
 in `open_pdi_page()` 168

refpoint
 in `fill_block()` 108, 134
relation suboption for `targetpath` in
 `create_action()` 185
relative in `add_path_point()` 133
remove for logging parameter 29
removenuused in `define_layer()` 45
rendercolor suboption for `rendermode` in
 `create_3dview()` 211
renderingintent
 in `create_gstate()` 122
 in `load_image()` 154
rendermode in `create_3dview()` 211
repair in `open_pdi_document()` 165
repeatcontent in `add_table_cell()` 99
replacedchars in `info_textline()` 80
replacemchar
 in `info_font()` 59
 in `load_font()` 54
replyto in `create_annotation()` 193
required in `create_field()` and `create_fieldgroup()`
 201
requiredmode in `open_pdi_document()` 165
resetfont in `add/create_textflow()` 85
resourcefile in `set_option()` 21
resx, resy keywords in `info_image()` 157
return
 in `add/create_textflow()` 85
 in `add_table_cell()` 99
returnmark in `fit_textflow()` 92
returnreason
 keyword in `info_table()` 103
 keyword in `info_textflow()` 95
rewind
 in `fit_table()` 102
 in `fit_textflow()` 92
richtext in `create_field()` and `create_fieldgroup()`
 201
right option in `add_nameddest()` and suboption
 for destination in `create_action()`,
 `create_annotation()`, `create_bookmark()` and
 `begin/end_document()` 186
rightindent
 in `add/create_textflow()` 83
 suboption for `createlastindent` in
 `fit_textflow()` 90
rightlines, rightliney keywords in `info_textflow()`
 95
rollover
 suboption for template in
 `create_annotation()` 194
rotate
 in `begin/end_page_ext()` 41
 in `create_annotation()` 193
 in `fit_textflow()` 92
 in various functions 108
 keyword in `info_pdi_page()` 170
 suboption for `textpath` in `fit_textline()` 79

round
 in `add_path_point()` 133
 in `draw_path()` 134
 suboption for `matchbox` 112
 suboption for `textpath` in `fit_textline()` 79
rowcount keyword in `info_table()` 103
rowheight in `add_table_cell()` 99
rowjoinsgroup in `add_table_cell()` 100
rowscalgroupp in `add_table_cell()` 99
rowspan in `add_table_cell()` 100
RowSpan in `begin_item()` 220
rowspan keyword in `info_table()` 103
ruler in `add/create_textflow()` 85

S

scale
 in various functions 108
 suboption for `textpath` in `fit_textline()` 79
scalex, scaley keywords in `info_textline()` 80
schema suboption for portfolio in
 `begin_document()` 207
Scope in `begin_item()` 220
script
 in `create_action()` 184
 in `load_3d()` 209
 in many functions 75
 suboption for `feature` in `info_font()` 88
scriptname in `create_action()` 184
scrollable in `create_field()` and
 `create_fieldgroup()` 201
search in `begin/end_document()` 35
searchpath in `set_option()` 21
separationinfo in `begin_page_ext()` 41
shading in several functions 116
shadow in `fit_textline()` 78
shaping in many functions 75
shapingsupport in `info_font()` 59
showborder
 in `fit_textflow()` 92
 in various functions 108
showcolor in `create_annotation()` 194
showcols in `info_table()` 102
showcontrols in `create_annotation()` 194
showgrid in `fit_table()` 102
showtable in `fit_textflow()` 92
shrinklimit
 in `add/create_textflow()` 84
 in various functions 108
shutdownstrategy in `set_option()` 21
singfont in `info_font()` 59
smoothness in `create_gstate()` 122
softmax in `create_gstate()` 122
sort suboption for portfolio in `begin_document()`
 207
sorted in `create_field()` and `create_fieldgroup()`
 201
soundvolume in `create_annotation()` 194
space in `add/create_textflow()` 85

spellcheck in `create_field()` and
 `create_fieldgroup()` 201
split
 keyword in `info_textflow()` 95
 suboption for portfolio in `begin_document()`
 207
spotcolor suboption for `separationinfo` in `begin/`
 `end_page_ext()` 41
spotname suboption for `separationinfo` in `begin/`
 `end_page_ext()` 41
spreadlimit in `add/create_textflow()` 85
stamp
 in `info_textline()` 78
 in `fit_textflow()` 92
standardfont in `info_font()` 59
state
 suboption for labels in `begin/`
 `end_document()` and label in `begin/`
 `end_page_ext()` 36
 suboption for shading option of several
 functions 117
startcolor in `shading()` 147
startoffset suboption for `textpath` in
 `fit_textline()` 79
startx, starty keywords in `info_textline()` 80
stretch in `begin_font()` 60
stretch in many functions 74
stringlist for logging parameter 29
strips keyword in `info_image()` 157
stroke
 in `draw_path()` 134
 in `fit_table()` 102
strokeadjust in `create_gstate()` 122
strokecolor
 in `add_path_point()` 132
 in `create_field()` and `create_fieldgroup()` 201
 in several functions 116
strokewidth in many functions 74
strongref suboption for reference in
 `begin_template_ext()` and `open_pdi_page()`
 159
style suboption for labels in `begin/`
 `end_document()` and label in `begin/`
 `end_page_ext()` 36
subject in `create_annotation()` 194
subsetemptyfields in `create_action()` 184
subsetname in `create_field()` and
 `create_fieldgroup()` 201
subpaths
 in `draw_path()` 134
 suboption for `textpath` in `fit_textline()` 79
subsetlimit in `load_font()` 54
subsetminsize in `load_font()` 54
subsetting in `load_font()` 54
Subtype in `begin_item()` 220
supplement in `info_font()` 59
symbolfont in `info_font()` 59